

# Lecture 16: Multiagent RL

## CS486/686 Intro to Artificial Intelligence

2024-7-2

Pascal Poupart  
David R. Cheriton School of Computer Science  
CIFAR AI Chair at Vector Institute




# Outline

- Stochastic Games
- Multi-agent Reinforcement Learning (MARL)
- Opponent Modelling: Fictitious Play
- Cooperative Stochastic Games
  - Joint Q learning
- Competitive Stochastic Games (Zero-sum games)
  - Minimax Q learning

# Multi-agent Reinforcement Learning

Multi-agent Games + Sequential decision making



Newer field with **unique challenges** and **opportunities**

# Stochastic Games

- (Simultaneously moving) Stochastic Game ( $N$ -agent MDP)

- $N$ : Number of agents
- $S$ : Shared state space  $s \in S$
- $A^j$ : Action space of agent  $j$ 
  - $\langle a^1, a^2, \dots, a^N \rangle \in A^1 \times A^2 \times \dots \times A^N$
- $R^j$ : Reward function for agent  $j$ :  $R^j(s, a^1, \dots, a^N) = \sum_r r^j Pr(r^j | s, a^1, \dots, a^N)$ 
  - **Cooperative game: same reward for all agents**
  - **Competitive game:  $\sum_j R^j(s, a^1, \dots, a^N) = 0$**
- $T$ : Transition function:  $Pr(s' | s, a^1, \dots, a^N)$
- $\gamma$ : Discount factor:  $0 \leq \gamma \leq 1$
- Horizon (i.e., # of time steps):  $h$

} Unknown models and unknown policies of other agents

- Policy (strategy) for agent  $i$ :  $\pi^i: S \rightarrow \Omega(A^i)$

- Goal: Find optimal policy such that  $\pi^* = \{\pi_1^*, \dots, \pi_N^*\}$ ,

where  $\pi_i^* = \operatorname{argmax}_{\pi^i} \sum_{t=0}^h \gamma^t \mathbb{E}_{\pi} [r_t^i(s, \mathbf{a})]$ , where  $\mathbf{a} \triangleq \{a^1, \dots, a^N\}$  and  $\pi \triangleq \{\pi^1, \dots, \pi^N\}$

# Playing a stochastic game

- Players choose their actions **at the same time**
  - **No communication** with other agents
  - **No observation** of other player's actions
- Each player chooses a strategy  $\pi^i$  which is a mapping from states to actions and can be either
  - **Mixed strategy**: Distribution over actions for at least one state
  - **Pure strategy**: One action with prob 100% for all states
- At each state, all agents face a **stage game** (normal form game) with the **Q values of the current state and joint action of each player being the utility for that player**
- The stochastic game can be thought of as a repeated normal form game with a state representation

# Solution Concept

- In MARL, a solution often corresponds to some **equilibrium** of the stochastic game
- The most common solution concept is the **Nash equilibrium**
- Let us define a **value function** for the multi-agent setting

$$V_{\pi}^j(s) \triangleq \sum_{t=0}^{\infty} \gamma^t \mathbb{E}_{\pi}[r_t^j | s_0 = s, \pi]$$

- **Nash equilibrium** under the stochastic game satisfies

$$V_{(\pi_*^j, \pi_*^{-j})}^j(s) \geq V_{(\pi^j, \pi_*^{-j})}^j(s). \quad \forall s \in S; \forall j; \forall \pi^j \neq \pi_*^j$$

# Independent learning

- Naive approach: Apply the single agent Q-learning directly
- **Each agent** would update its Q-values using the Bellman update:

$$Q^j(s, a^j) \leftarrow Q^j(s, a^j) + \alpha(r^j + \gamma \max_{a'^j} Q^j(s', a'^j) - Q^j(s, a^j))$$

- Each agent assumes that the other agent(s) **are part of the environment**
- **Advantage: Simple approach, easy to apply**
- **Disadvantages:**
  - **Might not work well against opponents playing complex strategies**
  - **Non-stationary transition and reward models**
  - **No convergence guarantees**

# Opponent Modelling

- Note that an agent's response **requires knowledge of other agent's actions**
- This is a **simultaneously move game** where each agent **does not know** what the other agents will do
- So each agent should **maintain a belief** over other agents actions at current state
- Maintaining a belief over the actions of other agents is called **opponent modelling**
  
- Techniques for Opponent Modelling:
  - **Fictitious Play**
  - Gradient Based Methods
  - Solving Unique Equilibrium (for each stage game)
  - Bayesian Approaches



# Fictitious Play

- Each agent assumes that all opponents are playing a **stationary mixed strategy**
- Agents maintain a count of number of times another agent performs an action

$$n_t^i(s, a^j) \leftarrow 1 + n_{t-1}^i(s, a^j), \forall j, \forall i$$

- Agents **update their belief** about this strategy at each state according to

$$Pr_t^i(a^j | s) = \frac{n_t^i(s, a^j)}{\sum_{a'^j} n_t^i(s, a'^j)}$$

- Agents calculate best responses according to this belief

# Joint Q learning

## JointQlearning( $s, Q$ )

Repeat

Repeat for each agent  $i$

Select and execute  $a^i$

Observe  $s', r^i$  and  $\mathbf{a}^{-i}$ , where  $\mathbf{a}^{-i} = \{a^1, \dots, a^{i-1}, a^{i+1}, \dots, a^N\}$

Update counts:  $n(s, \mathbf{a}) \leftarrow n(s, \mathbf{a}) + 1$ ,  $n^i(s, a^j) \leftarrow 1 + n^i(s, a^j)$ ,  $\forall j$

Sample others' actions:  $\hat{a}'^j \sim Pr^i(a'_j | s') = \frac{n^i(s', a'^j)}{\sum_{a'} n^i(s', a'^j)} \quad \forall j \neq i$

Learning rate:  $\alpha \leftarrow 1/n(s, \mathbf{a})$

Update Q-value:

$$Q^i(s, a^i, \mathbf{a}^{-i}) \leftarrow Q^i(s, a^i, \mathbf{a}^{-i}) + \alpha(r^i + \gamma \max_{a'^i} Q^i(s', a'^i, \hat{a}'^1, \dots, \hat{a}'^N) - Q^i(s, a^i, \mathbf{a}^{-i}))$$

$s \leftarrow s'$

# Convergence of Tabular Joint Q learning

- If the game is **finite** (finite agents and finite number of strategies for each agent), then fictitious play will **converge** to true response of opponent(s) in the limit **in self-play**
- **Self-play**: All agents learn using the same algorithm
- Joint Q-learning converges to **Nash Q-values** in a **cooperative stochastic game** if
  - Every state is visited infinitely often (e.g., epsilon greedy or Boltzmann exploration)
  - The learning rate  $\alpha$  is decreased fast enough, but not too fast (sufficient conditions for  $\alpha$ ):

$$(1) \sum_n \alpha_n \rightarrow \infty \quad (2) \sum_n (\alpha_n)^2 < \infty$$

- In cooperative stochastic games, the Nash Q-values are **unique** (guaranteed unique equilibrium)

# Cooperative Stochastic Games

- Cooperative stochastic game: **same reward function for all agents**
- Equilibrium for cooperative stochastic games is the **Pareto dominating (Nash) equilibrium**
  - Nash equilibrium:  $\forall i, a_i, R_i(a_i^*, a_{-i}^*) \geq R_i(a_i, a_{-i}^*)$
  - **Pareto dominating:  $\forall i R_i(a^*) \geq R_i(a'^*)$**
- There exists a **unique Pareto dominating (Nash) equilibrium**

		Bob	
		Baseball	Soccer
Alice	Baseball	2,2	0,0
	Soccer	0,0	1,1

# Competitive Stochastic Games

- The equilibrium in the case of competitive stochastic games is the **min-max Nash equilibrium**
- Each stage game of this stochastic game faces a **zero-sum game**
- There exists a **unique min-max (Nash) equilibrium in utilities**
- **Optimal** min-max value function

$$V_*^j(s) = \max_{a^j} \min_{a^{-j}} [r^j(s, a^j, a^{-j}) + \gamma \sum_{s'} \text{Pr}(s' | s, a^j, a^{-j}) V_*^j(s')] ]$$

- For a competitive stochastic game there exists a **unique min-max value function** and hence a **unique min-max Q-function**

# Learning in competitive stochastic games

- Algorithm: Minimax Q-Learning
- Q-values for each agent  $j$  are over joint actions:  $Q^j(s, a^j, a^{-j})$ 
  - $s$  = state
  - $a^j$  = action
  - $a^{-j}$  = opponent action
- Instead of playing the best  $Q^j(s, a^j, a^{-j})$  play **min-max Q**

$$Q^j(s, a^j, a^{-j}) \leftarrow (1 - \alpha)Q^j(s, a^j, a^{-j}) + \alpha(r^j + \gamma V^j(s'))$$

$$V^j(s') \leftarrow \max_{a^j} \min_{a^{-j}} Q^j(s', a^j, a^{-j})$$

# Minimax Q learning

## Minimax Q learning

Repeat

Repeat for each agent

Select and execute action  $a^j$

Observe  $s'$ ,  $a^{-j}$  and  $r$

Update counts:  $n(s, \mathbf{a}) \leftarrow n(s, \mathbf{a}) + 1$

Learning rate:  $\alpha \leftarrow \frac{1}{n(s, \mathbf{a})}$

Update Q-value:

$$Q_*^j(s, a^j, a^{-j}) \leftarrow (1 - \alpha)Q_*^j(s, a^j, a^{-j}) + \alpha(r^j + \gamma \max_{a'^j} \min_{a'^{-j}} Q_*^j(s', a'^j, a'^{-j}))$$

$s \leftarrow s'$

# Convergence of Minimax Tabular Q learning

- Convergence in **self-play**
- Minimax Q-learning converges to **min-max equilibrium** in competitive game if:
  - Every state is visited infinitely often (e.g. epsilon-greedy or Boltzmann exploration)
  - The learning rate  $\alpha$  is decreased fast enough, but not too fast (sufficient conditions for  $\alpha$ ):

$$(1) \sum_n \alpha_n \rightarrow \infty \quad (2) \sum_n (\alpha_n)^2 < \infty$$

- In a competitive stochastic games, the Nash Q-values are **unique** (guaranteed **unique min-max equilibrium** point in utilities)



# Opponent Modelling

- In a competitive game rational agents **always take a min-max action**
- There is **no requirement** for a separate opponent modelling strategy in self-play
  
- However:
  - Other agents could use **different algorithms**
  - Computing the min-max action can be **time consuming**
  
- Alternative: Fictitious play
  - Fact: Fictitious play **also converges** in competitive zero-sum games
  - Fact: Fictitious play **converges to the min-max action in self-play**

# (Mixed) Stochastic Games/ General-sum Stochastic Game

- Rewards for each agent can be arbitrary
  - Rewards are not the same for all agent (i.e., not cooperative)
  - They do not sum to 0 (i.e., not entirely competitive)
- Objective for agent: Find the **optimal policy for best response**
- What should be the solution concept?
  - There could be **multiple** Nash equilibria
  - Nash theorem: **at-least one** mixed strategy Nash equilibrium exists
- **Area of research**
  - **Various solution concepts**
  - **Various forms of opponent modeling**